PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ :		(11) International Publication Number	r: WO 99/58164
A61L 2/02, 2/18	A1	(43) International Publication Date:	18 November 1999 (18.11.99)

US

(21) International Application Number: PCT/US99/09474

(22) International Filing Date: 28 April 1999 (28.04.99)

12 May 1998 (12.05.98)

(71) Applicant: STERIS CORPORATION [US/US]; 5960 Heisley Road, Mentor, OH 44060 (US).

(72) Inventors: FRICKER, Christopher, M.; 7960 Fieldstone Court, Concord, OH 44077 (US). MALCHESKY, Paul, S.; 239 Barrington Ridge, Painesville Twp., OH 44077 (US). WOJCIECK, Brian, C.; 1123 Elmwood Drive, Willoughby, OH 44094 (US). SELL, Jason, M.; 3286 Jasmine Drive, Seven Hills, OH 44131 (US). SINITO, Anthony, C.; 7285 Surrey Lane, Chesterland, OH 44026 (US).

(74) Agent: KOCOVSKY, Thomas, E., Jr.; Fay, Sharpe, Beall, Fagan, Minnich & McKee, LLP, Suite 700, 1100 Superior Avenue, Cleveland, OH 44114–2518 (US). (81) Designated States: AU, CA, CN, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published

With international search report.


(54) Title: ADDITIVES FOR ELECTROCHEMICALLY ACTIVATED SOLUTIONS TO MINIMIZE CORROSION

(57) Abstract

(30) Priority Data:

09/076,642

A composition for minimizing corrosivity and increasing penetration of electrochemically activated sterilizing and disinfecting solutions includes a buffering system, a corrosion inhibitor, a surfactant, and a chelator. The buffering system maintains the electrochemically activated solution at an optimal pH for microorganism kill while the surfactant improves sterilant penetration of medical instruments and the like which are to be sterilized or disinfected by the electrochemically activated solution. The composition reduces corrosion of the instruments without impairing the capacity of the electrochemically activated solution to destroy microorganisms.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM Armenia FI Finland LT Lithuania SK Slovakia AT Austria FR France LU Luxembourg SN Senegal AU Australia GA Gabon LV Latvia SZ Swaziland AZ Azerbaijan GB United Kingdom MC Monaco TD Chad BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikistan BE Belgium GN Guinea MK The former Yugoslav TM Turkmenistan BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Bizzil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG CG Congo KE Konya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CN China KR Republic of Korea PL Poland CU Cuba KZ Kazakstan RO Romania CC Cacche Republic LC Saint Lucia RU Russian Federation DE Germany LK Sri Lanka SE Sweden	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AT Austria FR France LU Luxembourg SN Senegal AU Australia GA Gabon LV Latvia SZ Swaziland AZ Azerbaijan GB United Kingdom MC Monaco TD Chad BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikistan BE Belgium GN Guinea MK The former Yugoslav TM Turkmenistan BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CN China KR Republic of Korea PT Portugal CZ Czech Republic LC Saint Lucia RU Russian Federation CD Germany LI Liechtenstein SD Sudan	AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AUAustraliaGAGabonLVLatviaSZSwazilandAZAzerbaijanGBUnited KingdomMCMonacoTDChadBABosnia and HerzegovinaGEGeorgiaMDRepublic of MoldovaTGTogoBBBarbadosGHGhanaMGMadagascarTJTajikistanBEBelgiumGNGuineaMKThe former YugoslavTMTurkmenistanBFBurkina FasoGRGreeceRepublic of MacedoniaTRTurkeyBGBulgariaHUHungaryMLMaliTTTrinidad and TobagoBJBeninIEIrelandMNMongoliaUAUkraineBRBrazilILIsraelMRMauritaniaUGUgandaBYBelarusISIcelandMWMalawiUSUnited States of AmericaCACanadaITItalyMXMexicoUZUzbekistanCFCentral African RepublicJPJapanNENigerVNViet NamCGCongoKEKcnyaNINetherlandsYUYugoslaviaCHSwitzerlandKGKyrgyzstanNONorwayZWZimbabweCICôte d'IvoireKPDemocratic People'sNZNew ZealandCMCameroonRepublic of KoreaPLPolandCVCubaKZKazakstanRORomania	AT	Austria	FR	France	LU	Luxembourg	SN		
AZAzerbaijanGBUnited KingdomMCMonacoTDChadBABosnia and HerzegovinaGEGeorgiaMDRepublic of MoldovaTGTogoBBBarbadosGHGhanaMGMadagascarTJTajikistanBEBelgiumGNGuineaMKThe former YugoslavTMTurkmenistanBFBurkina FasoGRGreeceRepublic of MacedoniaTRTurkeyBGBulgariaHUHungaryMLMaliTTTrinidad and TobagoBJBeninIEIrelandMNMongoliaUAUkraineBRBrazilILIsraelMRMauritaniaUGUgandaBYBelarusISIcelandMWMalawiUSUnited States of AmericaCACanadaITItalyMXMexicoUZUzbekistanCACanadaITItalyMXMexicoUZUzbekistanCFCentral African RepublicJPJapanNENigerVNViet NamCGCongoKEKenyaNINetherlandsYUYugoslaviaCHSwitzerlandKGKyrgyzstanNONorwayZWZimbabweCICôte d'IvoireKPDemocratic People'sNZNew ZealandCMCameroonRepublic of KoreaPTPortugalCVCubaKZKazakstanRORomania	AU	Australia	GA	Gabon	LV	Latvia	SZ	•	
BA Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Togo BB Barbados GH Ghana MG Madagascar TJ Tajikistan BE Belgium GN Guinea MK The former Yugoslav TM Turkmenistan BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CCG Congo KE Kenya NI Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CC Czech Republic LC Saint Lucia RU Russian Federation CC Czech Republic LC Saint Lucia RU Russian Federation CD Germany LI Liechtenstein SD Sudan	AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD		
BBBarbadosGHGhanaMGMadagascarTJTajikistanBEBelgiumGNGuineaMKThe former YugoslavTMTurkmenistanBFBurkina FasoGRGreeceRepublic of MacedoniaTRTurkeyBGBulgariaHUHungaryMLMaliTTTrinidad and TobagoBJBeninIEIrelandMNMongoliaUAUkraineBRBrazilILIsraelMRMauritaniaUGUgandaBYBelarusISIcelandMWMalawiUSUnited States of AmericaCACanadaITItalyMXMexicoUZUzbekistanCFCentral African RepublicJPJapanNENigerVNViet NamCGCongoKEKcnyaNINetherlandsYUYugoslaviaCHSwitzerlandKGKyrgyzstanNONorwayZWZimbabweCICôte d'IvoireKPDemocratic People'sNZNew ZealandCMCameroonRepublic of KoreaPLPolandCNChinaKRRepublic of KoreaPLPolandCUCubaKZKazakstanRORomaniaCZCzech RepublicLCSaint LuciaRURussian FederationDEGermanyLILiechtensteinSDSudan	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG		
BE Belgium GN Guinea MK The former Yugoslav TM Turkmenistan BF Burkina Faso GR Greece Republic of Macedonia TR Turkey BG Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CN Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PL Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BB	Barbados	GH	Ghana	MG		ТJ		
BC Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PL Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	•	
BG Bulgaria HU Hungary ML Mali TT Trinidad and Tobago BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	\mathbf{BF}	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkev	
BJ Benin IE Ireland MN Mongolia UA Ukraine BR Brazil IL Israel MR Mauritania UG Uganda BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kcnya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BG	Bulgaria	HU	Hungary	ML	Mali	TT	•	
BY Belarus IS Iceland MW Malawi US United States of America CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BJ	Benin	IE	Ireland	MN	Mongolia	UA		
CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kcnya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda	
CA Canada IT Italy MX Mexico UZ Uzbekistan CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NI Netherlands YU Yugoslavia CH Switzerland KG Kyrgyztan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America	
CG Congo KE Kenya NL Netherlands YU Yugoslavia CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan		Canada	IT	Italy	MX	Mexico	UZ		
CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Côte d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CI Che d'Ivoire KP Democratic People's NZ New Zealand CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
CM Cameroon Republic of Korea PL Poland CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	•	
CN China KR Republic of Korea PT Portugal CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CU Cuba KZ Kazakstan RO Romania CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CM	Cameroon		Republic of Korea	PL	Poland			
CZ Czech Republic LC Saint Lucia RU Russian Federation DE Germany LI Liechtenstein SD Sudan	CN	China	KR	Republic of Korea	PT	Portugal			
DE Germany LI Liechtenstein SD Sudan	CU	Cuba	KZ	Kazakstan	RO	Romania			
	\mathbf{CZ}	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DK Denmark LK Sri Lanka SE Sweden	DE	Germany	LI	Liechtenstein	SD	Sudan			
	DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE Estonia LR Liberia SG Singapore	EE	Estonia	LR	Liberia	SG	Singapore			

ADDITIVES FOR ELECTROCHEMICALLY ACTIVATED SOLUTIONS TO MINIMIZE CORROSION

Background of the Invention

The present invention relates to the sterilization and It finds particular application in disinfection arts. conjunction with electrochemically activated solutions containing species for sterilization chlorine or 5 disinfection of medical and pharmaceutical equipment, and will be described with particular reference thereto. should be appreciated, however, that the invention is also applicable to other sterilization, disinfection, sanitization methods employing oxidizing species such as 10 chlorine-containing bleach solutions.

The reusability of medical instruments has become increasingly important in an effort to provide cost-effective health care. Many of the instruments that are now sterilized or disinfected, such as endoscopes, contain tortuous paths, narrow lumens, and other difficult to clean areas.

Recently, electrochemically activated sterilant and disinfectant solutions produced from brine have been developed for decontamination of medical instruments and the like. Active sterilizing and disinfecting species, such as hypochlorite, are generated by electrolysis of a salt solution, such as brine (a solution of sodium chloride in water). Electrolysis devices are known which receive a supply of the salt solution and produce anolyte and catholyte solutions at an anode and a cathode, respectively. The anolyte and catholyte may be used individually or as a combination. The anolyte has been found to have antimicrobial properties, including anti-viral properties. The catholyte has been found to have cleaning properties.

10

15

20

25

30

-2-

PCT/US99/09474

To create these anolyte and catholyte solutions, the salt solution is passed through an electrolytic unit or module which has at least one anode chamber and at least one cathode chamber which may be separated from each other by a An anode contacts the solution flowing through 5 membrane. the anode chamber, while a cathode contacts the solution flowing through the cathode chamber. The membrane generally allows the transfer of charged species between the anode and the cathode but limits fluid transfer between the anode and cathode chambers. The salt solution undergoes oxidation in the anode chamber and reduction in the cathode chamber. anolyte and catholyte solutions are used separately or in combination for a wide variety of different purposes.

The activity of solutions produced from brine is often expressed in terms of the concentration of active, or "free" chlorine species. Typically, a free chlorine concentration (the concentration of active chlorine species measured) of 200 to 2000 ppm is employed for sterilization, while disinfection is carried out at concentrations of 2 ppm and Instruments are sterilized or disinfected by immersing them for a predetermined period of time in the activated solution. These solutions are capable of effecting fairly rapid disinfection or sterilization, without leaving harmful or unsightly deposits on the instruments. Moreover, the disinfectant or sterilant is generated only as it is required, thereby avoiding the need for storing potentially hazardous sterilants.

However, because of the corrosive nature of electrochemically activated solutions, metal parts of the instruments, such as those made of aluminum, copper, brass, and stainless steel, have a tendency to corrode when repeatedly exposed to the solutions. Joints in the instruments, where different metals are in contact, tend to Because medical instruments are corrode more readily. designed to be reused many times during their expected lifetimes, even a fairly small corrosive effect can cause significant damage to the instruments with repeated contact.

5

20

-3-

PCT/US99/09474

Moreover, it is often undesirable for poorly adhered corrosion products to remain on the instruments. These deposits may be released subsequently from the instruments and cause contamination when the instruments are used.

Medical instruments frequently include components which provide a challenge to the penetration of the disinfectant or sterilant solution. Endoscopes, for example, have long narrow tubes which slow the movement of the decontaminant, while hinges and other joints provide semi-enclosed areas 10 through which the passage of decontaminant is reduced. These areas may prevent decontamination or increase the time for decontamination to be assured. Longer decontamination increase the opportunity for corrosion of the times instruments and reduce the throughput of instruments through a decontamination system. Electrochemically activated 15 solutions tend to have high surface energies which have been found to make penetration more difficult.

There remains a need for a composition for addition to an electrochemically activated solution which minimizes the corrosion of items to be sterilized or disinfected and which penetrates all areas of the items for complete and rapid sterilization or disinfection.

The present invention provides a new and improved composition for use in electrochemically activated solutions 25 which overcomes the above referenced problems and others.

Summary of the Invention

In accordance with one aspect of the present invention, a composition for minimizing corrosivity and improving 30 penetration of an electrochemically activated sterilizing or disinfecting solution, without appreciably lowering the rate of kill of microorganisms, is provided. The composition is characterized by a buffering system for buffering the pH of the electrochemically activated solution to a pH of between about 5.0 and about 9.0, a corrosion inhibitor, a non-ionic surfactant which is stable in the electrochemically activated solution, and a chelator.

10

25

PCT/US99/09474

-4-

In accordance with another aspect of the present invention, a method of sterilization or disinfection is provided. The method is characterized by generating an electrochemically activated sterilant or disinfectant 5 solution which includes the composition described above, and immersing items to be sterilized or disinfected in the solution.

In accordance with yet another aspect of the present invention, a sterilizing or disinfecting system is provided. The system comprises a source of a salt solution and a generator for generating a sterilant or disinfectant solution from the salt solution. The sterilant or disinfectant solution includes active sterilant species. The system further comprises an inlet line, which fluidly connects the source of the salt solution to the generator, a sterilization or disinfection vessel, and an outlet line, which fluidly connects the generator to the vessel for transporting the sterilant or disinfectant solution to the The system is characterized by a dispenser for vessel. 20 dispensing the composition described above into the salt solution or the sterilant solution.

In accordance with another aspect of the present invention, a sterilizing or disinfecting solution is provided. The solution comprises active chlorine species, and is characterized by a composition as described above.

One advantage of the present invention is that it enables medical instruments to be disinfected sterilized or disinfected repeatedly with minimal corrosion or degradation of the instruments.

Another advantage of the present invention is that 30 sterilant or disinfectant penetrates instruments readily, effectiveness of the thereby improving the sterilant or disinfectant and increasing the kill rate.

Still further advantages of the present invention will 35 become apparent to those of ordinary skill in the art upon reading and understanding the following detailed description of the preferred embodiments.

Brief Description of the Drawings

The invention may take form in various components and arrangements of components, and in various steps and arrangements of steps. The drawings are only for purposes of illustrating a preferred embodiment and are not to be construed as limiting the invention.

FIGURE 1 is a schematic diagram of a preferred embodiment of a sterilization or disinfecting system of the present invention.

10

Detailed Description of the Preferred Embodiments

Compositions for incorporating into electrochemically activated sterilant or disinfectant solutions according to the present invention include a buffering system, a 15 corrosion inhibitor, a surfactant, and a chelator. composition reduces corrosion of medical instruments and the like that are sterilized or disinfected in the sterilant or disinfectant solutions and also reduces corrosion of sterilization or disinfection equipment. It is to be 20 understood that the compositions described herein are not limited to incorporation into sterilant solutions but are also applicable to disinfectant solutions. For ease of reference, however, the use of the compositions in sterilant solutions for sterilization will often be referred to, with the understanding that the sterilization-related terms should be read as encompassing the use of the compositions in disinfectant solutions for disinfection.

The surface tension of the sterilant solutions is reduced significantly by addition of the composition, leading to improved contact of the sterilant with the surfaces of the instruments, increased penetration of the instruments, and improved penetration of the cell walls of microorganisms. The compositions improve the kill rate of microorganisms by the sterilant solutions. Typically, the composition is added to the sterilant solution after electrochemical generation of the active sterilant species, although addition prior to activation is also feasible. The

composition is stable in the electrochemically activated solution at temperatures conventionally used for sterilization or disinfection over periods of time in excess of those generally used. (Sterilization is generally carried out at around 50 °C, for about 12-60 minutes. Disinfection is typically effected in a shorter period of time.)

The buffering system buffers the sterilant solution to a pH of about 5 to about 9. A pH in this range provides for effective kill of microorganisms typically found on medical 10 instruments by the sterilant. Preferably the pH is selected within the range to minimize corrosion of instruments. optimal pH for minimizing corrosion is dependent, to some degree, on the composition of metals used in the medical The buffering system preferably buffers the instruments. 15 solution to a pH within the range which is least corrosive to the instruments typically sterilized or disinfected. most instruments, a pH of between 5 and 9 is preferred. preferred buffering system includes at least one, and more preferably, a combination of alkali metal phosphates, from 20 the group including mono- and di- alkali metal phosphates, The combination hexametaphosphates, and tripolyphosphates. desired on the phosphates selected depends Monosodium phosphate, for example, buffers the solution to an acidic pH, while disodium phosphate buffers to a basic Tripolyphosphates, although exhibiting some buffering 25 power, are not sufficiently strong buffers to provide Thus, they are used effective buffering alone. combination with one or more of the other phosphate buffers By selecting a combination of in the buffering system. phosphates, the pH is adjusted to the desired pH. alkali metal in the phosphate salt is preferably sodium or potassium. Combinations of sodium and potassium salts are optionally used. Optionally, the buffering system includes sulfates such as sodium sulfate. When selected as a 35 component of the buffering system, the phosphates and preferably present in the following are concentration ranges by weight:

-7-

5

Monosodium phosphate	0.01-0.5%
Disodium phosphate	0.01-5.0%
Sodium hexametaphosphate	0.01-5.0%
Tripolyphosphates	0.01-5.0%
Sodium sulfate	0.01-5.0%

The corrosion inhibitor inhibits corrosion of the items to be sterilized or disinfected by the electrochemically active solution. Mono- and di- alkali metal phosphates and 10 hexametaphosphate, used as buffers in the concentration above, are conveniently also noted ranges inhibitors. Alternatively, other corrosion inhibitors known in the art are used, such as sodium benzotriazole, either the above-mentioned or in combination with alone, 15 phosphates. The corrosion inhibitor, however, is one which significantly reduce the ability of the does not destroy electrochemically activated to solution microorganisms.

The surfactant is one that reduces the surface tension Electrochemically activated 20 of the sterilant solution. solutions were analyzed and found to have surface tensions of around that of deionized water, or slightly less (64.1-72.8 dynes/cm for the electrochemically activated solutions Deionized water has a surface tension of around tested. 25 72.8 dynes/cm at 25 °C). Preferably, the surface tension of the electrochemically activated solution is lowered by the composition to around 30-35 dynes/cm or below. tensions of 28.0-28.7 dynes/cm were readily achieved for electrochemically activated containing solutions Preferred the present invention. 30 compositions of surfactants are non-ionic surfactants from the group alcohol polyglycol fatty consisting of ethoxylated and nonylphenoxypoly(ethyleneoxy)ethanol, polyoxypropylene. Other non-ionic, cationic, and anionic 35 surfactants are optionally included in the composition. surfactant is preferably one that is stable electrochemically activated solution. If the composition is

to be added to the sterilant solution prior to electrochemical generation of the active species, the surfactant is one which is not degraded significantly when it passes the electrodes of a generator. Optionally, more than one surfactant is used in the composition.

-8-

When present in the composition, the surfactants are preferably present in the following concentrations by weight:

10	Fatty alcohol polyglycol ethers	0.01-1.0%
	Nonylphenoxypoly(ethyleneoxy)ethanol	0.0001-0.5%
	Ethoxylated polyoxypropylene	0.0001-0.5%

Preferred chelators are those which are stable in the 15 electrochemically activated solution and include tripolyphosphates hexametaphosphate, and sodium nitriloacetic acid. These chelators are stable in electrochemically activated solutions over extended periods and are effective chelators for organic loads and removing Preferably, the composition includes a 20 water hardness. combination of chelators. Sodium polyacrylates particularly preferred chelators. Tripolyphosphates are also desirable because of their other beneficial properties, including buffering, surfactant, and detergent properties. 25 Sodium nitriloacetic acid is advantageous, but may pose environmental concerns in some circumstances. A number of conventional chelators are less suited to use in the sterilant solutions because they render the composition in the solutions. One such chelator is unstable ethylenediaminetetraacetic acid (EDTA). 30

When present in the composition, the chelators are preferably present in the following concentration ranges by weight:

	Tripolyphosphates	0.01-5.0%
3 5	Hexametaphosphate	0.01-5.0%
	Sodium polyacrylates	0.01-0.5%
	Sodium nitriloacetic acid	0.01-0.5%

Optionally, the composition also includes a detergent. While medical instruments are expected to be cleaned prior to sterilization or disinfection in an electrochemically activated solution, incomplete cleaning results in the 5 presence of biological materials on the instruments. materials tend to reduce the effectiveness of the sterilant or disinfectant, for example, by providing a physical barrier to the passage of sterilant to the surfaces of the instruments. Tripolyphosphates are preferred detergents because of their other beneficial properties, including buffering, surfactant, and chelation properties. present in the composition, the detergents are preferably at a concentration of 0.01-5.0%.

10

20

25

When hard water is used in the preparation of the 15 electrochemically activated solution, the phosphates used in the composition tend to cause calcium and magnesium salts present in the hard water to precipitate and coat the instruments being decontaminated. A sequestering agent appropriate to prevent precipitation, such as hexametaphosphate is preferably provided.

To sterilize or disinfect medical, dental, surgical, or mortuary instruments, devices, implants and the like, active chlorine species are generated electrochemically in a solution containing brine. Typically, a free chlorine concentration of about 200 to about 2000 ppm. provides an effective sterilant. A concentration of about 2 ppm. or above is effective as a disinfectant.

The composition is added to the electrochemically activated solution, either before, during, generation of active chlorine species. Preferably, a solution of the composition in water is metered into the sterilant solution until a desired concentration is reached.

Instruments to be sterilized or disinfected are preferably washed in a detergent solution prior to 35 sterilization or disinfection, to remove substantially all of the organic materials and other dirt deposited on the instruments during use. The instruments are then immersed

in the sterilant or disinfectant solution for a period sufficient to effect sterilization or disinfection. The instruments are typically rinsed and dried before storing and subsequent reuse.

With reference to FIGURE 1, a sterilization disinfection system provides for generation electrochemically active solution which includes the composition and for sterilization or disinfection of medical instruments and the like. The system includes 10 electrochemically activated solution generator, such as an An inlet line 14 directs a salt electrolytic cell, 10. solution, such as brine, from a source of the salt solution 12 into the generator. Active sterilant species are generated electrochemically in the salt solution application of a voltage across electrodes 16 and 18 within 15 the generator. A membrane 20, formed from a micro-porous or selective ion transport material, separates anolyte and catholyte streams generated from the salt solution by the generator. An outlet line 22 carries the sterilant solution 20 containing the active species, typically the anolyte stream, from the generator to a vessel 24 for disinfection or sterilization of the instruments.

A dispenser 26 dispenses the composition into the system, preferably as a solution in water, to achieve the 25 desired concentration of composition additives The composition is conveniently added to the vessel. sterilizing solution through an additive inlet line 28 which is connected to the vessel 24 by a valve 30. However, other means of addition which provide the desired additive 30 concentrations within the sterilization vessel are also contemplated, such as addition of the composition to the Optionally, the composition additives are added brine. separately.

Examples 35

5

Compositions were prepared according to the following formulation:

-11-

One or more of the following buffer/detergent/corrosion inhibitors:

	Monosodium phosphate	0.01-0.5%
	Disodium phosphate	0.01-5.0%
5	Sodium hexametaphosphate	0.01-5.0%
	Sodium sulfate	0.01-5.0%

One or more of the following non-ionic surfactants:

	Fatty alcohol polyglycol ethers	0.01-1.0%
10	Nonylphenoxypoly(ethyleneoxy)ethanol	0.0001-0.5%
	Ethoxylated polyoxypropylene	0.0001-0.5%

One or more of the following chelators:

	Sodium hexametaphosphate	0.01-5.0%
15	Sodium polyacrylates	0.01-0.5%
	Tripolyphosphates	0.01-5.0%
	Sodium nitriloacetic acid	0.01-0.5%

The compositions were found to provide or generate 20 stable solutions containing free chlorine species at concentrations in the range of 100 to about 2000 ppm free chlorine. No degradation of the compositions was observed over a 24 hour period.

25 Example 1

An electrochemically activated solution including the composition was prepared with the following formulation:

	Disodium phosphate 4.766 g/l
30	Monosodium phosphate 0.400 g/l
	Sodium hexametaphosphate 0.330 g/l
	Genapol (fatty alcohol polyglycol ether) 0.400 g/l
	$(462 \mu 1)$

35 The surface tension of the electrochemically activated solution with the composition present was 28.0 dynes/cm.

The pH was 7.73 and the free chlorine concentration was 273

-12-

ppm. The kill rate of electrochemically activated solutions both with and without the Example 1 composition were compared on samples of Bacillus subtilis containing a known population of microorganisms at 20 °C. As shown in Table 1 below, the compositions did not reduce the ability of the solution to destroy microorganisms. The kill rate, expressed in terms of average linear regression D-value (a measure of the time required to reduce the population by 1 log) was not measurably decreased in the solution containing the composition.

Table 1

15	Test Solution	No. of	trials	<u>D-value</u> (sec)	Longest Endpoint (sec)
	Electrochemical	ly			•
	activated solut	ion	7	28.4±6.6	240
	Electrochemical	ly			
20	activated solut	ion			
	+ composition		1	33.0	210

Example 2

25 Samples of metals typically used in medical instruments repeated subjected to cleaning cycles electrochemically activated solutions both with and without the composition of Example 1. One hour of exposure to the solution was used as a measure of one cleaning cycle. 30 results, shown in Table 2, indicate that the composition reduces the corrosivity of the electrochemically activated solution towards brass and stainless steel. from medical instruments, such as screws, nuts, and an inlet/outlet port, also showed reduced or absence of 35 corrosion after exposure to the electrochemically activated solution with the composition added.

-13-

Table 2

		Electrochemically Activated Solution Without Composition		Electrochemically Activated Solution With Composition	
	Material	No. of Cycles	Result	No. of Cycles	Result
5	Anodized Aluminum	720	no change	24	no change
	Brass	24	~50% surface corrosion	24	~5-10% surface corrosion
	Stainless Steel 17-4PH	24	<5% surface corrosion; pitting (~3mm diam.)	24	~2% surface corrosion
10	Stainless Steel 316L	24	<10% surface corrosion	24	~2% surface corrosion
	<u>Parts</u>				
15	screw with wide threads	120	40% surface corrosion	120	no change
20	screw with narrow threads	72	<1% corrosion	120	no change
	metal inlet/outlet port	1-120	corrosion at soldered joints after 1 hr, increasing over time	120	no change
25	metal nut with metal- metal binding adhesive	1-120	corrosion at 15 min, increasing over time	8-120	corrosion at 24 hrs

30

Example 3

Electrochemically activated solutions including the compositions were prepared according to the formulations given in Table 3. pH, free chlorine concentration, and surface tension were measured. The three formulations listed in Table 3 proved to be effective.

-14-

Table 3

	Formula	L		рН	Free Chlorine ppm.	Surface Tension dyne/cm.
5	MSP HMP 40S	0.3404 0.0550 0.0238 0.0570 0.0400	g/l g/l g/l	7.82	285	28.7
10	MSP HMP	4.766 0.400 0.300 0.400	g/l g/l	7.73	273	28.0
15	MSP HMP Gen	5.7192 0.700 0.396 0.400 0.057	g/l g/l g/l	7.86	272	28.3

DSP = disodium phosphate

MSP = monosodium phosphate

HMP = hexametaphosphate

Gen = Genapol (fatty alcohol polyglycol ether)

40S = Cobratec 40S (sodium benzotriazole, 40 wt.%)

Having thus described the preferred embodiment, the invention is now claimed to be:

- 1. A composition for minimizing corrosivity and improving penetration of an electrochemically activated sterilizing or disinfecting solution without appreciably lowering the rate of kill of microorganisms by the solution, 5 the composition characterized by:
 - a buffering system for buffering the pH of the electrochemically activated solution to a pH of between about 5.0 and about 9.0;
 - a corrosion inhibitor;
- a non-ionic surfactant which is stable in the electrochemically activated solution; and
 - a chelator.

5

2. The composition of claim 1, further characterized by:

the buffering system being selected from the group consisting of:

- mono-alkali metal phosphates, di-alkali metal phosphates, hexametaphosphates, sodium sulfate, and combinations thereof.
 - 3. The composition of claim 2, further characterized by:

the buffering system further including 0.01-5% by weight tripolyphosphates.

- 4. The composition of either one of claims 2 and 3, further characterized by the buffering system including:
- 0.01-0.5% by weight monosodium phosphate and at least one of:
 - i) 0.01-5% by weight disodium phosphate, and
 - ii) 0.01-5% by weight sodium hexametaphosphate.
 - 5. The composition of any one of preceding claims 1-

4, further characterized by:

the composition further including a non-ionic surfactant which lowers the surface tension of the 5 electrochemically activated solution to 35 dynes/cm or below.

-16-

6. The composition of claim 5, further characterized by:

the non-ionic surfactant being selected from the group consisting of fatty alcohol polyglycol ethers, 5 nonylphenoxypoly(ethyleneoxy) ethanol, ethoxylated polyoxypropylene, and combinations thereof.

7. The composition of any one of preceding claims 1-6, further characterized by:

the chelator being selected from the group consisting of hexametaphosphates, tripolyphosphates, sodium 5 polyacrylates, sodium nitriloacetic acid, and combinations thereof.

8. The composition any one of preceding claims 1-7, further characterized by:

the composition further including at least one of:

i) a detergent, and

5

5

- ii) a sequestering agent.
- 9. The composition of claim 1, further characterized by: the composition including:
 - 0.01-5% by weight disodium phosphate,
 - 0.01-0.5% by weight monosodium phosphate,
 - 0.01-5% by weight hexametaphosphate, and
 - 0.01-1.0 % by weight of a fatty alcohol polyglycol ether.
- 10. A method of sterilization/disinfection
 characterized by:

generating an electrochemically activated sterilant/

-17-

disinfectant solution which includes the composition of any 5 one of claims 1-9; and,

immersing items to be sterilized/disinfected in the solution.

11. The method of claim 10, further characterized by:
the step of generating an electrochemically activated
sterilant/disinfectant solution including:

separating the electrochemically activated solution with a membrane into anolyte and catholyte streams, the anolyte stream including an active chlorine species, and adding the composition to the anolyte stream; and,

5

the step of immersing items to be sterilized/
10 disinfected in the solution including:

immersing the items in the anolyte stream.

12. The method of either one of claims 10 and 11, further characterized by:

the step of generating an electrochemically activated sterilant/disinfectant solution including generating a free 5 chlorine concentration of between about 2 and about 2000 ppm.

13. An antimicrobial system comprising:

a source (12) of a salt solution, a generator (10) for generating an antimicrobial solution from the salt solution, the antimicrobial solution including active antimicrobial species, an inlet line (14), which fluidly connects the source of the salt solution to the generator, an antimicrobial vessel (24), an outlet line (22), which fluidly connects the generator to the antimicrobial vessel for transporting the antimicrobial solution to the vessel, 10 the system characterized by:

a dispenser (26) for dispensing the composition of any one of claims 1-9 into one or more of the salt solution and the antimicrobial solution.

14. A sterilizing or disinfecting solution comprising free chlorine species and characterized by:

the solution further comprising the composition of any one of claims 1-9.




Fig. 1

INTERNATIONAL SEARCH REPORT

Intraction No PCT/US 99/09474

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A61L2/02 A61L2/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\begin{array}{ll} \text{Minimum documentation searched} & \text{(classification system followed by classification symbols)} \\ IPC & 6 & A61L & C23F \end{array}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No. 1-9,13, 14		
Х	EP 0 357 238 A (STERIS CORP) 7 March 1990 (1990-03-07) page 3, line 34 - page 5, line 4 examples 1-4			
Х	FR 2 550 946 A (PARANT BERNARD) 1 March 1985 (1985-03-01) the whole document	1,2,5-8, 10-12		
X	GB 2 292 687 A (GREEN BRUCE PHILIP) 6 March 1996 (1996-03-06) page 3	1-3,5,7,		
X	US 4 176 059 A (SUZUKI FUMIKO) 27 November 1979 (1979-11-27) claims	1-3,5-8		
	-/ <i></i>			

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.		
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family 		
Date of the actual completion of the international search	Date of mailing of the international search report		
24 August 1999	02/09/1999		
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Authorized officer Muñoz, M		

INTERNATIONAL SEARCH REPORT

Intrational Application No PCT/US 99/09474

2.00	(Continuation) DOCUMENTS CONCIDEDED TO BE DELEVANT					
Category °	Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT agory ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.					
	September 1	rielevant to claim 140.				
E	WO 99 28238 A (STERIS CORP) 10 June 1999 (1999-06-10) example 1 claims	1-14				
•	US 4 006 092 A (JONES J PAUL) 1 February 1977 (1977-02-01) column 11, line 24 - line 45 column 12, line 54 - column 13, line 56					

INTERNATIONAL SEARCH REPORT

information on patent family members

Inte ional Application No
PCT/US 99/09474

Patent document cited in search report			Publication date	Patent family Publication member(s) date
EP	0357238	A	07-03-1990	AT 181795 T 15-07-1999 CA 1321137 A 10-08-1993 DE 68929027 D 12-08-1999 EP 0870853 A 14-10-1998 JP 2052816 C 10-05-1996 JP 2083301 A 23-03-1990 JP 7084362 B 13-09-1995 US 5391360 A 21-02-1995 US 5374394 A 20-12-1994 US 5407685 A 18-04-1995 US 5350563 A 27-09-1994 US 5552115 A 03-09-1996 US 5116575 A 26-05-1992
FR	2550946	A	01-03-1985	NONE
GB	2292687	Α	06-03-1996	NONE
US	4176059	Α	27-11-1979	CA 1094792 A 03-02-1981
WO	9928238	Α	10-06-1999	NONE
US	4006092	A	01-02-1977	GB 1368400 A 25-09-1974 US 3822114 A 02-07-1974 AU 4535772 A 14-02-1974 CA 991364 A 22-06-1976 CA 993754 A 27-07-1976 CA 993755 A 27-07-1976 CH 574497 A 15-04-1976 DE 2238207 A 15-02-1973 FR 2148302 A 11-03-1973 NL 7210754 A 07-02-1973 SE 385718 B 19-07-1974 BE 787276 A 07-02-1974 IT 963772 B 21-01-1974 JP 48025693 A 03-04-1973 ZA 7205311 A 25-04-1973 IE 37217 B 08-06-1977